

Pressure Accessories

Test & Measurement Sensors



DESCRIPTION

Honeywell provides a wide range of accessories for our test and measurement sensor products, which are designed to meet additional requirements for most customer applications.

Accessories available to complement Honeywell's test and measurement pressure sensors include pressure port adapters and explosion proof enclosures.

If you don't see exactly what you need listed below, or have special requirements for your particular application or operating environment, please contact Honeywell for assistance.

ENCLOSURE FEATURES

- Explosion-proof enclosures
- Gage or absolute pressure enclosures
- Differential pressure enclosures

PRESSURE PORT ADAPTER FEATURES

- Male/male adapters
- Female/female adapters
- Male/female adapters

Pressure Accessories



EXPLOSION-PROOF ENCLOSURES

Order Code	Description
AA921	Explosion-proof enclosure



PRESSURE PORT ADAPTERS

Order Code	Description
AA310	9/16-18 UNF male to 1/4-18 NPT male
AA311	1/4-18 NPT female to 1/8-27 NPT female
AA312	7/16-20 UNF female (MS33649-E4) to 1/4-18 NPT female
AA313	1/4-18 NPT female to 7/16-20 UNF male (MS33656-E4)
AA314	1/4-18 NPT male to 1/8-27 NPT female
AA315	1/4-18 NPT male to 7/16-20 UNF female MS33649-E4)
AA316	7/16-20 UNF male (MS33656-E4) to 1/4-18 NPT male
AA317	1/8-27 NPT male to 7/16-20 UNF male (MS33656-E4)
AA318	1/4-18 NPT male to 1/4-18 NPT male
AA319	1/4-18 NPT female to 1/4-18 NPT female
AA333	1/8-27 NPT male to 1/8-27 NPT male
AA334	1/8-27 NPT female to 7/16-20 UNF male (MS33656-E4)
AA335	1/8-27 NPT male to 7/16-20 UNF male (MS33656-E4)
AA336	1/8-27 NPT male to 1/4-18 NPT male
AA337	1/4 BSP female to 1/4-18 NPT male
AA338	1/4-18 NPT female to 1/8-27 NPT male
SS009	9/16-18 UNF male to 7/16-20 UNF male

Warranty. Honeywell warrants goods of its manufacture as being free of defective materials and faulty workmanship. Honeywell's standard product warranty applies unless agreed to otherwise by Honeywell in writing; please refer to your order acknowledgement or consult your local sales office for specific warranty details. If warranted goods are returned to Honeywell during the period of coverage, Honeywell will repair or replace, at its option, without charge those items it finds defective. **The foregoing is buyer's sole remedy and is in lieu of all warranties, expressed or implied, including those of merchantability and fitness for a particular purpose. In no event shall Honeywell be liable for consequential, special, or indirect damages.**

While we provide application assistance personally, through our literature and the Honeywell web site, it is up to the customer to determine the suitability of the product in the application.

Specifications may change without notice. The information we supply is believed to be accurate and reliable as of this printing. However, we assume no responsibility for its use.

WARNING

PERSONAL INJURY

- DO NOT USE these products as safety or emergency stop devices or in any other application where failure of the product could result in personal injury.

Failure to comply with these instructions could result in death or serious injury.

WARNING

MISUSE OF DOCUMENTATION

- The information presented in this datasheet is for reference only. DO NOT USE this document as product installation information.
- Complete installation, operation and maintenance information is provided in the instructions supplied with each product.

Failure to comply with these instructions could result in death or serious injury.

Find out more

Honeywell serves its customers through a worldwide network of sales offices, representatives and distributors. For application assistance, current specifications, pricing or name of the nearest Authorized Distributor, contact your local sales office. To learn more about Honeywell's test and measurement products, call **+1-614-850-5000**, visit **www.honeywell.com/sensotec**, or e-mail inquiries to **info.tm@honeywell.com**

Sensing and Control
Honeywell
1985 Douglas Drive North
Golden Valley, MN 55422
www.honeywell.com

Honeywell